

# 1585CW®-P2

## S H E A T H I N G T A P E



**Venture Tape® 1585CW®-P2 is a printed polypropylene sheathing tape coated with an aggressive acrylic pressure sensitive adhesive (PSA) designed for use as a closure system and vapor seal on all interior and exterior sheathing materials.**

**Venture Tape® 1585CW®-P2 exceeds most building code requirements and can be used for new construction as well as repair on all vapor barrier materials.**

**CCMC approved, Venture Tape® 1585CW®-P2 is the highest performing, highest value product on the market today.**

### **FEATURES & BENEFITS**

- High performance sheathing tape installs and performs well over a wide temperature range
- Excellent vapor barrier tape on polyethylene film
- Performs well as a seam tape on extruded foam products such as **Styrofoam®** and **Foamular®**
- Applies to all major housewraps including **Tyvek®** and **Typar®**
- Great for use as a sealing tape on **DensGlass Gold®** and other sheathing brands

### **PRODUCT CONFIGURATIONS**

- 60mm x 66m
- 20 rolls/case

Contact Venture Tape today for a complete list of products or a free sample

Toll Free North America 800-343-1076  
From United Kingdom 0-800-962-957  
From Australia 1-800-122-797  
[www.venturetape.com](http://www.venturetape.com)

Test	Typical Value	Test Method
Total Product Thickness	3.0 mils	PSTC-133
Carrier Thickness	1.5 mils	PSTC-133
Adhesive Thickness	1.5 mils	PSTC-133
Peel Adhesion - Stainless Steel	65 oz/in	PSTC-133
Peel Adhesion - Polyethylene	16 oz/in	PSTC-133
Peel Adhesion - Tyvek®	28 oz/in	PSTC-133
Shear Strength	>96 hours	PSTC-133
Tensile Strength	20 lb/inch width	PSTC-133
Elongation	136%	PSTC-133
WVTR	0.16 g/100 in <sup>2</sup> /24 hr	ASTM E-96
Application Temperature	-20° F to 120° F	
Service Temperature	-40° F to 275° F	

Typical values are not intended to be used for specification development. Technical data is believed to be true and accurate; Venture Tape recommends that the purchaser test for fitness of use in all applications.

# VentureTape®

#### **USA**

Venture Tape Corp.  
30 Commerce Road  
Rockland, MA 02370  
781-331-5900  
FAX 781-871-0065  
[www.venturetape.com](http://www.venturetape.com)

#### **Europe - Venture Tape**

Venture Tape Europe Corp.  
Units 5 - 6, Faraday Close,  
Drayton Fields, Daventry,  
Northamptonshire, England NN11 8RD  
(0) 1327 876555  
FAX (0) 1327 876444

#### **Australasia**

Venture Tape Australasia, Pty., Ltd.  
11B Production Drive  
Campbellfield, VIC 3061  
Australia  
(03) 9357 6025  
FAX (03) 9357 6045