

ADA Compliant

New Jersey Transit Authority



In Compliance with the Americans with Disabilities Act



City of Camarillo, CA



Recycled Glass

Wausau Tile official member of the U.S. Green Building Council.



Elgin Concert Hall - Elgin, IL

Terra-Pavers Product Summary

Standard Sizes (Nominal): 12" or 24" square

Thickness: 2" to 2 3/4"

Weight: 24 to 32 1/2 lbs./sq.ft.

Dimensional Tolerance: +/- 1/16" (Length, Width, Height, Convex, Concave)

Terra-Paver finishes and colors shown are only a representation of the actual colors. Request samples for approved colors and finishes.

Tactile Warning Strips for stairs, landings and ramps.
Available in all of our standard sizes.

Terra-Pavers Physical Properties Based on 2" Thick Paver

PROPERTY	VALUE	TEST METHOD	PROPERTY	VALUE	TEST METHOD
Compressive Strength	=>8,000 PSI Avg.	ASTM C140	Freeze Thaw	=< 1% loss of dry weight (50 cycles)	ASTM C67
Flexural Strength	=>700 PSI Avg.	ASTM C293	Center Load	1,850 lbs.	WTCL 99
Water Absorption	< 5%-6%	ASTM C140			



Walgreen's - Weston, WI

TF6046
14" Sq. x 34"
385 lbs.
Light Included
Logo optional



TF3139 - 75" Dia. x 31" - 800 lbs.

Our textured pavers come in five standard patterns and 15 standard colors. Custom patterns, colors and sizes are available upon request.

Standard Colors

Stock Size = Nominal
12" and 24" Sq.

** = Stock Texture
* = Stock Color

Standard Textures



ADA-1 Truncated Dome



**ADA-2 Truncated Dome



**ADA-3 Truncated Dome



Directional Bar (12" only)



Tactile Warning

*FDX5008

FDX7008

FDX2008

*FDX3008

FDX1008

*FDX4008

*FDXSY7008

*U5008

U7008

U2008

*U3008

U1008

*U4008

*USY7008

*Federal Yellow
33538
FY7008



WAUSAUTILE



P.O. Box 1520
Wausau, WI 54402-1520
(715) 359-3121 (800) 388-8728
Fax: (715) 359-7456
www.wausautile.com
E-mail: wtile@ausautile.com

PRSR STD
U.S. POSTAGE
PAID
PERMIT 182
WAUSAU WI

ADA COMPLIANT



Fashion Island - Newport Beach, CA



TF3123 - 64" x 52" x 30" - 950 lbs.



MF1021 - 75" x 58" x 31" - 195 lbs.