

Page 1/10

Safety Data Sheet acc. to OSHA HCS

Printing date 03/05/2020

Reviewed on 03/05/2020

1 Identification

- · Product identifier
- Trade name: <u>Phoscrete HC</u>
- · Article number: PC-HC
- · Application of the substance / the mixture Concrete/Mortar admixtures
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Phoscrete Corporation 265 S Federal Hwy Suite 320 Deerfield Beach FL USA 33441

Tel: 561-420-0595 Fax: 561-420-0599 Email: safety@phoscrete.com Website: www.phoscrete.com

 Information department: For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC 24 Hours 1-800-424-9300 703-527-3887 CCN: 866520
 Emergency telephone number: 1.800.424.9300

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 1A H350 May cause cancer. Repr. 1A H360 May damage fertility or the unborn child.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

• *Hazard-determining components of labeling:* cristobalite

(Contd. on page 2)

US

Printing date 03/05/2020

Reviewed on 03/05/2020

Trade name: Phoscrete HC

	(Contd. of page 1)
Quartz (SiO2)	
Hazard statements	
May cause cancer. May damage fertility or the unborn child.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Wear protective gloves/protective clothing/eye protection/face protection.	
IF exposed or concerned: Get medical advice/attention.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
Classification system:	
NFPA ratings (scale 0 - 4)	
$\begin{array}{c} \textbf{Health} = 0\\ Fire = 0\\ Reactivity = 0 \end{array}$	
HMIS-ratings (scale 0 - 4)	
HEALTH TO Health = $*0$	
FIRE 0 Fire = 0	
REACTIVITY Reactivity = 0	
Other hazards	
Results of PBT and vPvB assessment	
<i>PBT</i> : Not applicable.	
<i>vPvB</i> : Not applicable.	

3 Composition/information on ingredients

• Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
1309-48-4	magnesium oxide	5-12%
14464-46-1	cristobalite	≤2.5%
14808-60-7	Quartz (SiO2)	≤2.5%
10043-35-3	boric acid	≤2.5%

4 First-aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 03/05/2020

Reviewed on 03/05/2020

Trade name: Phoscrete HC

• *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- *Reference to other sections* See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

1309-48-4 magnesium oxide	30 mg/m ³
7631-86-9 silicon dioxide (Amorphous)	18 mg/m ³
65997-17-3 Fibrous Glass	15 mg/m ³
1302-76-7 Kyanite	3 mg/m ³
14464-46-1 cristobalite	0.075 mg/n
14808-60-7 Quartz (SiO2)	0.075 mg/n
10043-35-3 boric acid	6 mg/m ³
100-42-5 styrene	20 ppm
PAC-2:	
1309-48-4 magnesium oxide	120 mg/m
7631-86-9 silicon dioxide (Amorphous)	740 mg/m
65997-17-3 Fibrous Glass	170 mg/n
1302-76-7 Kyanite	33 mg/m ²
14464-46-1 cristobalite	33 mg/m
14808-60-7 Quartz (SiO2)	33 mg/m
10043-35-3 boric acid	23 mg/m ²
100-42-5 styrene	130 ppm
PAC-3:	
1309-48-4 magnesium oxide	730 mg/m ³
7631-86-9 silicon dioxide (Amorphous)	4,500 mg/n
65997-17-3 Fibrous Glass	990 mg/m ³
1302-76-7 Kyanite	200 mg/m ³

(Contd. of page 2)

US

Printing date 03/05/2020

Reviewed on 03/05/2020

Trade name: Phoscrete HC

14464-46-1		(Contd. of page 3) 200 mg/m ³
		200 mg/m ³
10043-35-3	boric acid	830 mg/m ³
100-42-5	styrene	1100* ppm

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

Comp	ponents with limit values that require monitoring at the workplace:	
1309	-48-4 magnesium oxide	
PEL	Long-term value: 15* mg/m ³ fume; *total particulate	
TLV	Long-term value: 10* mg/m ³ *as inhalable fraction	
1446	4-46-1 cristobalite	
PEL	Long-term value: 0.05* mg/m ³ *resp. dust; ¹ / ₂ value from resp.dust formulae Quartz	
REL	Long-term value: 0.05* mg/m ³ *respirable dust; See Pocket Guide App. A	
TLV	Long-term value: 0.025* mg/m ³ *as respirable fraction	
1480	8-60-7 Quartz (SiO2)	
PEL	Long-term value: 0.05* mg/m ³ *resp. dust; 30mg/m3/%SiO2+2	
REL	Long-term value: 0.05* mg/m ³ *respirable dust; See Pocket Guide App. A	
TLV	Long-term value: 0.025* mg/m ³ *as respirable fraction	
1004	3-35-3 boric acid	
TLV	Short-term value: 6* mg/m ³ Long-term value: 2* mg/m ³ *as inhalable fraction	
	1	(Contd. on page

Printing date 03/05/2020

Reviewed on 03/05/2020

Trade name: Phoscrete HC

	(Contd. of page 4)
• Additional information: The lists that were valid during the creation were used as basis.	

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Store protective clothing separately.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 6).

• Eye protection:



Tightly sealed goggles

Information on basic physical and General Information Appearance:	chemical properties	
Form:	Solid	
Color:	According to product specification	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Decomposition temperature:	Not determined.	

Printing date 03/05/2020

Reviewed on 03/05/2020

Trade name: Phoscrete HC

		Contd. of page
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not applicable.	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol/we	uter): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Organic solvents:	0.1 %	
VOC content:	0.05 %	
Solids content:	80.7 %	
Other information	No further relevant information available.	

10 Stability and reactivity

· *Reactivity* No further relevant information available.

· Chemical stability

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

7631-86-9 silicon dioxide (Amorphous)

(Contd. on page 7)

_____US -

Printing date 03/05/2020

Reviewed on 03/05/2020

Trade name: Phoscrete HC

		(Contd. of page	6)
14464-46-1	cristobalite	1	
14808-60-7	Quartz (SiO2)	1	
100-42-5	styrene	2B	
· NTP (Natio	nal Toxicology Program)		7
14464-46-1	cristobalite	K	
14808-60-7	Quartz (SiO2)	K	
100-42-5	styrene	R	
· OSHA-Ca (Occupational Safety & Health Administration)		7
None of the	ingredients is listed.		

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- *Persistence and degradability* No further relevant information available.
- · Behavior in environmental systems:
- · *Bioaccumulative potential* No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- *vPvB*: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- *Recommendation:* Disposal must be made according to official regulations.

· UN-Number		
· DOT, ADR, IMDG, IATA	None	
· UN proper shipping name		
· DOT, ADR, IMDG, IATA	None	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA		
· Class	None	

Printing date 03/05/2020

Reviewed on 03/05/2020

Trade name: Phoscrete HC

 · Packing group
 · None

 · DOT, ADR, IMDG, IATA
 None

 · Environmental hazards:
 Not applicable.

 · Special precautions for user
 Not applicable.

 · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code
 Not applicable.

 · UN "Model Regulation":
 None

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely ha		
None of the ingredients is	listed.	
• Section 313 (Specific toxic	c chemical listings):	
100-42-5 styrene		
• TSCA (Toxic Substances	Control Act):	
92704-41-1 Kaolin, calcin	ied	ACTIVE
1302-93-8 Calcined Bau	xitic Kaolin (Mullite)	ACTIVE
1309-48-4 magnesium oz	xide	ACTIVE
7631-86-9 silicon dioxid	e (Amorphous)	ACTIVE
65997-17-3 Fibrous Glass		ACTIVE
14464-46-1 cristobalite		ACTIVE
14808-60-7 Quartz (SiO2))	ACTIVI
10043-35-3 boric acid		ACTIVE
100-42-5 styrene		ACTIVE
· Hazardous Air Pollutants		
100-42-5 styrene		
· Proposition 65		
· Chemicals known to cause	e cancer:	
14464-46-1 cristobalite		
14808-60-7 Quartz (SiO2))	
100-42-5 styrene		
· Chemicals known to cause	e reproductive toxicity for females:	
None of the ingredients is	listed.	
	e reproductive toxicity for males:	
None of the ingredients is	listed.	
· Chemicals known to cause	e developmental toxicity:	
None of the ingredients is	listed.	
		(Contd. on page

Printing date 03/05/2020

Reviewed on 03/05/2020

Trade name: Phoscrete HC

(Contd. of page 8)

I (oral)

A4

A2

A2

A4

A4

• EPA (Environmental Protection Agency) 10043-35-3 boric acid

· Cancerogenity categories

· TLV (Threshold Limit Value established by ACGIH)

1309-48-4 magnesium oxide

14464-46-1 cristobalite 14808-60-7 Quartz (SiO2)

10043-35-3 boric acid

100-42-5 styrene

·NIOSH-Ca (National Institute for Occupational Safety and Health)

14464-46-1 cristobalite

14808-60-7 Quartz (SiO2)

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



- · Signal word Danger
- *Hazard-determining components of labeling:* cristobalite Quartz (SiO2)
- · Hazard statements
- May cause cancer.

May damage fertility or the unborn child.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Manufacturing Facaility - Engineering Department

- · Contact: Manufacturer / Supplier
- · Date of preparation / last revision 03/05/2020 / -

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

(Contd. on page 10)

Printing date 03/05/2020

Reviewed on 03/05/2020

Trade name: Phoscrete HC

	(Contd. of page 9)
IMDG: International Maritime Code for Dangerous Goods	· · · · ·
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Carc. 1A: Carcinogenicity – Category 1A	
Repr. 1A: Reproductive toxicity – Category 1A	
	US —