

Version: 3.0 Revision Date: 02/06/2018

# SAFETY DATA SHEET

# 1. Identification

# Material name: SUPER AQUA-CURE VOX Material: 050Z 55

# Recommended use and restriction on use

Recommended use: Coatings Restrictions on use: Not known.

#### Manufacturer/Importer/Supplier/Distributor Information

EUCLID CHEMICAL COMPANY 19218 REDWOOD ROAD CLEVELAND OH 44110 US

Contact person: Telephone: Emergency telephone number: EH&S Department 216-531-9222 1-800-424-9300 (US); 1-613-996-6666 (Canada)

# 2. Hazard(s) identification

## **Hazard Classification**

## Health Hazards

Serious Eye Damage/Eye Irritation Category 2A

# **Unknown toxicity - Health**

Acute toxicity, oral	89.01 %
Acute toxicity, dermal	88.96 %
Acute toxicity, inhalation, vapor	99.94 %
Acute toxicity, inhalation, dust or mist	96.29 %

# Label Elements

Hazard Symbol:



Signal Word:

Warning

Hazard Statement:

Causes serious eye irritation.



Precautionary Statements	
Prevention:	Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.
Response:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Hazard(s) not otherwise classified (HNOC):	None.

# 3. Composition/information on ingredients

# **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
Glycol ether solvent	112-34-5	5 - 10%
Ethanolamine	141-43-5	0.5 - 1.5%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures		
Ingestion:	Call a POISON CENTRE/doctor if you feel unwell. Rinse mouth.	
Inhalation:	Move to fresh air.	
Skin Contact:	Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention.	
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.	
Most important symptoms/effects, acute and delayed		
Symptoms:	May cause skin and eye irritation.	
Indication of immediate medical	attention and special treatment needed	
Treatment:	Symptoms may be delayed.	
5. Fire-fighting measures		
General Fire Hazards:	No unusual fire or explosion hazards noted.	



# Suitable (and unsuitable) extinguishing media

Suitable extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical:	During fire, gases hazardous to health may be formed.
Special protective equipment an	d precautions for firefighters
Special fire fighting procedures:	No data available.
Special protective equipment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
6. Accidental release measures	s
Personal precautions, protective equipment and emergency procedures:	No data available.
Methods and material for containment and cleaning up:	Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations.
Notification Procedures:	In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.
7. Handling and storage	
Precautions for safe handling:	Avoid contact with eyes. Wash hands thoroughly after handling. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities:	Store away from incompatible materials. Store in original tightly closed container.

# 8. Exposure controls/personal protection

# **Control Parameters**

# Occupational Exposure Limits

Ch	nemical Identity	Туре	Exposure Limit Values	Source
----	------------------	------	-----------------------	--------



Glycol ether solvent - Inhalable fraction and vapor.	TWA	10 ppm	US. ACGIH Threshold Limit Values (03 2013)
Ethanolamine	TWA	3 ppm	US. ACGIH Threshold Limit Values (2011)
	STEL	6 ppm	US. ACGIH Threshold Limit Values (2011)
	PEL	3 ppm 6 mg/m3	B US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	_	-	

Chemical name	Туре	Exposure Limit Values	Source
Glycol ether solvent - Inhalable fraction and vapor.	TWA	10 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)

```
Appropriate Engineering<br/>ControlsObserve good industrial hygiene practices. Observe occupational exposure<br/>limits and minimize the risk of inhalation of vapors and mist. Mechanical<br/>ventilation or local exhaust ventilation may be required.
```

# Individual protection measures, such as personal protective equipment

General information:	Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Eye/face protection:	Wear safety glasses with side shields (or goggles).
Skin Protection Hand Protection:	Use suitable protective gloves if risk of skin contact.
Other:	Wear suitable protective clothing.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.
Hygiene measures:	Observe good industrial hygiene practices. Avoid contact with eyes.

# 9. Physical and chemical properties

# Appearance

Physical state:	liquid
Form:	liquid
Color:	White
Odor:	Mild
Odor threshold:	No data available.
pH:	9 - 11
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	100 °C 212 °F
Flash Point:	> 93 °C > 200 °F(Tag closed cup)
Evaporation rate:	Slower than Ether
Flammability (solid, gas):	No



Upper/lower limit on flammability or explosi	ive limits
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	No data available.
Vapor density:	Vapors are heavier than air and may travel along the floor and in the bottom of containers.
Relative density:	1
Solubility(ies)	
Solubility in water:	Soluble
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.

# 10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	No data available.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	Strong acids. Strong bases.
Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

# 11. Toxicological information

Information on likely rout Inhalation:	es of exposure In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes.
Skin Contact:	May be harmful in contact with skin. Causes mild skin irritation.
Eye contact:	Causes serious eye irritation.
Ingestion:	May be ingested by accident. Ingestion may cause irritation and malaise.
Symptoms related to the physical, chemical and toxicological characteristics	
Inhalation:	No data available.



Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.
Information on toxicological effect	cts
Acute toxicity (list all possible	routes of exposure)
Oral Product:	ATEmix: 9,752.13 mg/kg
Dermal Product:	ATEmix: 2,756.18 mg/kg
Inhalation Product:	Not classified for acute toxicity based on available data.
Repeated dose toxicity Product:	No data available.
Skin Corrosion/Irritation Product:	No data available.
Specified substance(s): Glycol ether solvent	in vivo (Rabbit): Slightly irritating Experimental result, Key study
Ethanolamine	in vivo (Rabbit): Corrosive Experimental result, Key study
Serious Eye Damage/Eye Irritatio Product: Specified substance(s):	n No data available.
Glycol ether solvent	Rabbit, 24 - 72 hrs: Highly irritating
Respiratory or Skin Sensitization Product:	No data available.
Carcinogenicity Product:	No data available.
IARC Monographs on the Evalua No carcinogenic components	tion of Carcinogenic Risks to Humans: identified
US. National Toxicology Program No carcinogenic components	



# US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified

# **Germ Cell Mutagenicity**

- In vitro Product: No data available. In vivo Product: No data available.
- Reproductive toxicity<br/>Product:No data available.
- Specific Target Organ Toxicity Single Exposure Product: No data available.
- Specific Target Organ Toxicity Repeated Exposure Product: No data available.

Aspiration Hazard Product:	No data available.		

# Other effects: No data available.

# 12. Ecological information

## **Ecotoxicity:**

## Acute hazards to the aquatic environment:

Fish Product:	No data available.
Specified substance(s): Glycol ether solvent	LC 50 (Bluegill (Lepomis macrochirus), 96 h): 1,300 mg/l Mortality
Ethanolamine	LC 50 (Fathead minnow (Pimephales promelas), 96 h): 1,810 - 2,370 mg/l Mortality
Aquatic Invertebrates Product:	No data available.

Chronic hazards to the aquatic environment:



14. Transport information	
Contaminated Packaging:	No data available.
Disposal instructions:	Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
13. Disposal considerations	
Other adverse effects:	No data available.
Mobility in soil:	No data available.
Ethanolamine	Log Kow: -1.31
Specified substance(s): Glycol ether solvent	Log Kow: 0.56
Partition Coefficient n-octanol / v Product:	water (log Kow) No data available.
Bioaccumulative potential Bioconcentration Factor (Bo Product:	CF) No data available.
BOD/COD Ratio Product:	No data available.
Biodegradation Product:	No data available.
Persistence and Degradability	
Toxicity to Aquatic Plants Product:	No data available.
Aquatic Invertebrates Product:	No data available.
Fish Product:	No data available.

# TDG:

Not Regulated



# CFR / DOT:

Not Regulated

IMDG:

Not Regulated

# 15. Regulatory information

# **US Federal Regulations**

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) None present or none present in regulated quantities.

## US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) None present or none present in regulated quantities.

#### CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity	<b>Reportable quantity</b>
Styrene	1000 lbs.
2-Propanol	100 lbs.

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **Hazard categories**

Immediate (Acute) Health Hazards

# SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

#### SARA 304 Emergency Release Notification

Chemical Identity	<b>Reportable quantity</b>	
Glycol ether solvent		
2-Butoxyethanol (Glyco	bl	
ether)		
Styrene	1000 lbs.	
2-Propanol	100 lbs.	

# SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u> Glycol ether solvent Ethanolamine Threshold Planning Quantity 10000 lbs 10000 lbs

# SARA 313 (TRI Reporting)

Chemical Identity

Glycol ether solvent

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) None present or none present in regulated quantities.



# Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

# **US State Regulations**

Styrene

# **US. California Proposition 65**

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm. Styrene Carcinogenic.

Carcinogenic. Carcinogenic. 04 2016

# US. New Jersey Worker and Community Right-to-Know Act

<u>Chemical Identity</u> Glycol ether solvent

# **US. Massachusetts RTK - Substance List**

Chemical Identity Styrene

## **US. Pennsylvania RTK - Hazardous Substances**

Chemical Identity Glycol ether solvent

# **US. Rhode Island RTK**

Chemical Identity Glycol ether solvent

#### International regulations

#### Montreal protocol

not applicable

#### Stockholm convention

not applicable

#### **Rotterdam convention**

not applicable

# Kyoto protocol

not applicable

## VOC:

Regulatory VOC (less water and exempt solvent)	:	174 g/l
VOC Method 310	:	6.26 %



Inventory Status: Australia AICS:	One or more components in this product are not listed on or exempt from the Inventory.
Canada DSL Inventory List:	All components in this product are listed on or exempt from the Inventory.
EINECS, ELINCS or NLP:	One or more components in this product are not listed on or exempt from the Inventory.
Japan (ENCS) List:	One or more components in this product are not listed on or exempt from the Inventory.
China Inv. Existing Chemical Substances:	One or more components in this product are not listed on or exempt from the Inventory.
Korea Existing Chemicals Inv. (KECI):	One or more components in this product are not listed on or exempt from the Inventory.
Canada NDSL Inventory:	One or more components in this product are not listed on or exempt from the Inventory.
Philippines PICCS:	One or more components in this product are not listed on or exempt from the Inventory.
US TSCA Inventory:	All components in this product are listed on or exempt from the Inventory.
New Zealand Inventory of Chemicals:	One or more components in this product are not listed on or exempt from the Inventory.
Japan ISHL Listing:	One or more components in this product are not listed on or exempt from the Inventory.
Japan Pharmacopoeia Listing:	One or more components in this product are not listed on or exempt from the Inventory.
Mexico INSQ:	One or more components in this product are not listed on or exempt from the Inventory.
Ontario Inventory:	One or more components in this product are not listed on or exempt from the Inventory.
Taiwan Chemical Substance Inventory:	One or more components in this product are not listed on or exempt from the Inventory.



# 16.Other information, including date of preparation or last revision

Revision Date:	02/06/2018
Version #:	3.0
Further Information:	No data available.
Disclaimer:	For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.